

Shaft Collars & Rigid Couplings



Global Industrial Products

We're Easy...

Shaft Collars and Rigid Couplings with...

- Customer Friendly Hours 8 AM to 6 PM M-F EST
- Knowledgeable and Friendly Customer Service
- Immediate Quotes on the Phone
- Same Day Shipments On Request
- 99% Shipping Accuracy
- Quality Products at Fair Market Pricing
- No Extra Charge for Drop Shipments
- Experienced in Serving the Needs of Distribution and Manufacturing
- Specials Department - Priced on Application

Try Us!

Call Us at 1-800-352-0418 or Fax 1-800-860-5553

Set Screw Collars

Solid Set Screw Collars3

Clamping Collars

One-Piece Clamping Collars4

Two-Piece Clamping Collars5

Threaded Clamping Collars6

Metric Clamping Collars6

Set Screw & Clamping Couplings

Set Screw Couplings7

One-Piece Split Couplings7

Two-Piece Split Couplings7



Global Industrial Products

30198 Lakeland Blvd

Wickliffe, Ohio 44092

Tel. 1-800-352-0418

Fax. 1-800-860-5553

www.global-collars.com

Keyways

Bore	Keyway Size
3/8	3/32 X 3/64
1/2	1/8 X 1/16
5/8 to 7/8	3/16 X 3/32
1 to 1-1/4	1/4 X 1/8
1 3/8	5/16 X 5/32
1 1/2	3/8 X 3/16

Fastener Key Sizes

Set Screw		Socket Head Screw	
Thread Size	Key Size	Thread Size	Key Size
4-40	1/20	4-40	3/32
6-32	1/16	6-32	7/64
8-32	5/64	8-32	9/64
10-32	3/32	10-32	5/32
1/4-20	1/8	1/4-28	3/16
5/16-18	5/32	5/16-24	1/4
3/8-16	3/16	3/8-24	5/16
1/2-13	1/4	1/2-13	3/8

Warranty: Global Industrial Products (distributed by Climax Metal Products Co.) warranties that all parts sold in this publication meet the materials and size specifications within. Any deviant part will be replaced or the purchase price refunded at the Company's option.

Global Part No.

ZINC PLATED STEEL	UNPLATED STEEL	BLACK OXIDE STEEL	STAINLESS STEEL	BORE SIZE	O.D.	WIDTH	SET SCREW SIZE
GSC-012-Z	GSC-012-DT	GSC-012-B	GSC-012-SS	1/8	3/8	1/4	6-32
GSC-018-Z	GSC-018-DT	GSC-018-B	GSC-018-SS	3/16	7/16	1/4	8-32
GSC-025-Z	GSC-025-DT	GSC-025-B	GSC-025-SS	1/4	1/2	9/32	10-32
GSC-031-Z	GSC-031-DT	GSC-031-B	GSC-031-SS	5/16	5/8	5/16	10-32
GSC-037-Z	GSC-037-DT	GSC-037-B	GSC-037-SS	3/8	3/4	3/8	1/4-20
GSC-043-Z	GSC-043-DT	GSC-043-B	GSC-043-SS	7/16	7/8	7/16	1/4-20
GSC-050-Z	GSC-050-DT	GSC-050-B	GSC-050-SS	1/2	1	7/16	1/4-20
GSC-056-Z	GSC-056-DT	GSC-056-B	GSC-056-SS	9/16	1	7/16	1/4-20
GSC-062-Z	GSC-062-DT	GSC-062-B	GSC-062-SS	5/8	1 1/8	1/2	5/16-18
GSC-068-Z	GSC-068-DT	GSC-068-B	GSC-068-SS	11/16	1 1/4	9/16	5/16-18
GSC-075-Z	GSC-075-DT	GSC-075-B	GSC-075-SS	3/4	1 1/4	9/16	5/16-18
GSC-081-Z	GSC-081-DT	GSC-081-B	GSC-081-SS	13/16	1 1/2	9/16	5/16-18
GSC-087-Z	GSC-087-DT	GSC-087-B	GSC-087-SS	7/8	1 1/2	9/16	5/16-18
GSC-093-Z	GSC-093-DT	GSC-093-B	GSC-093-SS	15/16	1 5/8	9/16	5/16-18
GSC-100-Z	GSC-100-DT	GSC-100-B	GSC-100-SS	1	1 5/8	5/8	5/16-18
GSC-106-Z	GSC-106-DT	GSC-106-B	GSC-106-SS	1 1/16	1 3/4	5/8	5/16-18
GSC-112-Z	GSC-112-DT	GSC-112-B	GSC-112-SS	1 1/8	1 3/4	5/8	5/16-18
GSC-118-Z	GSC-118-DT	GSC-118-B	GSC-118-SS	1 3/16	2	11/16	3/8-16
GSC-125-Z	GSC-125-DT	GSC-125-B	GSC-125-SS	1 1/4	2	11/16	3/8-16
GSC-131-Z	GSC-131-DT	GSC-131-B	GSC-131-SS	1 5/16	2 1/8	11/16	3/8-16
GSC-137-Z	GSC-137-DT	GSC-137-B	GSC-137-SS	1 3/8	2 1/8	3/4	3/8-16
GSC-143-Z	GSC-143-DT	GSC-143-B	GSC-143-SS	1 7/16	2 1/4	3/4	3/8-16
GSC-150-Z	GSC-150-DT	GSC-150-B	GSC-150-SS	1 1/2	2 1/4	13/16	3/8-16
GSC-156-Z	GSC-156-DT	GSC-156-B	GSC-156-SS	1 9/16	2 1/2	13/16	3/8-16
GSC-162-Z	GSC-162-DT	GSC-162-B	GSC-162-SS	1 5/8	2 1/2	13/16	3/8-16
GSC-168-Z	GSC-168-DT	GSC-168-B	GSC-168-SS	1 11/16	2 1/2	13/16	3/8-16
GSC-175-Z	GSC-175-DT	GSC-175-B	GSC-175-SS	1 3/4	2 3/4	7/8	1/2-13
GSC-181-Z	GSC-181-DT	GSC-181-B	GSC-181-SS	1 13/16	2 3/4	7/8	1/2-13
GSC-187-Z	GSC-187-DT	GSC-187-B	GSC-187-SS	1 7/8	2 3/4	7/8	1/2-13
GSC-193-Z	GSC-193-DT	GSC-193-B	GSC-193-SS	1 15/16	3	7/8	1/2-13
GSC-200-Z	GSC-200-DT	GSC-200-B	GSC-200-SS	2	3	7/8	1/2-13
GSC-212-Z			GSC-212-SS	2 1/8	3	7/8	1/2-13
GSC-218-Z			GSC-218-SS	2 3/16	3 1/4	15/16	1/2-13
GSC-225-Z			GSC-225-SS	2 1/4	3 1/4	15/16	1/2-13
GSC-231-Z			GSC-231-SS	2 5/16	3 1/4	15/16	1/2-13
GSC-237-Z			GSC-237-SS	2 3/8	3 1/4	15/16	1/2-13
GSC-243-Z			GSC-243-SS	2 7/16	3 1/2	1	1/2-13
GSC-250-Z			GSC-250-SS	2 1/2	3 1/2	1	1/2-13
GSC-262-Z			GSC-262-SS	2 5/8	3 3/4	1 1/8	1/2-13
GSC-268-Z			GSC-268-SS	2 11/16	4	1 1/8	1/2-13
GSC-275-Z			GSC-275-SS	2 3/4	4	1 1/8	1/2-13
GSC-287-Z			GSC-287-SS	2 7/8	4 1/4	1 1/8	1/2-13
GSC-293-Z			GSC-293-SS	2 15/16	4 1/4	1 1/8	1/2-13
GSC-300-Z			GSC-300-SS	3	4 1/4	1 1/8	1/2-13
GSC-318-Z				3 3/16	4 1/4	1 1/8	1/2-13
GSC-325-Z				3 1/4	4 1/4	1 1/8	1/2-13
GSC-343-Z				3 7/16	4 1/2	1 1/8	1/2-13
GSC-350-Z				3 1/2	4 3/4	1 1/8	1/2-13
GSC-393-Z				3 15/16	5	1 1/8	1/2-13
GSC-400-Z				4	5	1 1/8	1/2-13
GSC-425-Z				4 1/4	5 1/2	1 1/8	1/2-13
GSC-443-Z				4 7/16	5 1/2	1 1/8	1/2-13
GSC-450-Z				4 1/2	5 1/2	1 1/4	1/2-13
GSC-493-Z				4 15/16	6	1 1/4	1/2-13
GSC-500-Z				5	6	1 1/4	1/2-13
GSC-543-Z				5 7/16	6 1/2	1 1/4	1/2-13
GSC-593-Z				5 15/16	7	1 1/4	1/2-13

Set Screw Collars



Set Screw Collars

Traditional cost effective collar design

Other materials and metric sizes available

Bore Tolerance

Bore 1/8 to 3-1/4

Tolerance +.004 / +.001

Bore over 3-1/4

Tolerance +.0075 / +.0015

O.D. Tolerance

Tolerance +.000 / -.030

www.global-collars.com

One-Piece Clamping Collars

One-Piece Clamping Collars



One-Piece Clamping Collars

Clamping design fully engages the shaft without marring or other shaft damage

- Effective on hard and soft shafts

- Other sizes, shapes and materials available

Bore Tolerance

Bore 1/8 to 3-1/4
Tolerance +.004 / +.001

Bore over 3-1/4
Tolerance +.0075 / +.0015

www.global-collars.com

Global Part No.

BLACK OXIDE STEEL	T303 STAINLESS STEEL	ALUMINUM	BORE SIZE	O.D.	WIDTH	CLAMP SCREW
G1SC-012-B	G1SC-012-SS	G1SC-012-A	1/8	1/2	1/4	4-40
G1SC-018-B	G1SC-018-SS	G1SC-018-A	3/16	5/8	5/16	4-40
G1SC-025-B	G1SC-025-SS	G1SC-025-A	1/4	11/16	5/16	4-40
G1SC-031-B	G1SC-031-SS	G1SC-031-A	5/16	11/16	5/16	4-40
G1SC-037-B	G1SC-037-SS	G1SC-037-A	3/8	7/8	11/32	6-32
G1SC-043-B	G1SC-043-SS	G1SC-043-A	7/16	15/16	3/8	6-32
G1SC-050-B	G1SC-050-SS	G1SC-050-A	1/2	1 1/8	13/32	8-32
G1SC-056-B	G1SC-056-SS	G1SC-056-A	9/16	1 1/4	7/16	10-32
G1SC-062-B	G1SC-062-SS	G1SC-062-A	5/8	1 5/16	7/16	10-32
G1SC-068-B	G1SC-068-SS	G1SC-068-A	11/16	1 3/8	7/16	10-32
G1SC-075-B	G1SC-075-SS	G1SC-075-A	3/4	1 1/2	1/2	1/4-28
G1SC-081-B			13/16	1 5/8	1/2	1/4-28
G1SC-087-B	G1SC-087-SS	G1SC-087-A	7/8	1 5/8	1/2	1/4-28
G1SC-093-B			15/16	1 3/4	1/2	1/4-28
G1SC-100-B	G1SC-100-SS	G1SC-100-A	1	1 3/4	1/2	1/4-28
G1SC-106-B			1 1/16	1 7/8	1/2	1/4-28
G1SC-112-B	G1SC-112-SS		1 1/8	1 7/8	1/2	1/4-28
G1SC-118-B	G1SC-118-SS		1 3/16	2 1/16	1/2	1/4-28
G1SC-125-B	G1SC-125-SS	G1SC-125-A	1 1/4	2 1/16	1/2	1/4-28
G1SC-131-B			1 5/16	2 1/8	9/16	1/4-28
G1SC-137-B	G1SC-137-SS		1 3/8	2 1/4	9/16	1/4-28
G1SC-143-B	G1SC-143-SS		1 7/16	2 1/4	9/16	1/4-28
G1SC-150-B	G1SC-150-SS	G1SC-150-A	1 1/2	2 3/8	9/16	1/4-28
G1SC-156-B			1 9/16	2 3/8	9/16	1/4-28
G1SC-162-B			1 5/8	2 5/8	11/16	5/16-24
G1SC-168-B			1 11/16	2 3/4	11/16	5/16-24
G1SC-175-B	G1SC-175-SS	G1SC-175-A	1 3/4	2 3/4	11/16	5/16-24
G1SC-187-B	G1SC-187-SS	G1SC-187-A	1 7/8	2 7/8	11/16	5/16-24
G1SC-193-B	G1SC-193-SS	G1SC-193-A	1 15/16	3	11/16	5/16-24
G1SC-200-B	G1SC-200-SS	G1SC-200-A	2	3	11/16	5/16-24
G1SC-212-B			2 1/8	3 1/4	3/4	5/16-24
G1SC-218-B			2 3/16	3 1/4	3/4	5/16-24
G1SC-225-B			2 1/4	3 1/4	3/4	5/16-24
G1SC-237-B			2 3/8	3 1/2	3/4	5/16-24
G1SC-243-B			2 7/16	3 1/2	3/4	5/16-24
G1SC-250-B			2 1/2	3 3/4	7/8	3/8-24
G1SC-262-B			2 5/8	3 7/8	7/8	3/8-24
G1SC-268-B			2 11/16	4	7/8	3/8-24
G1SC-275-B			2 3/4	4	7/8	3/8-24
G1SC-287-B			2 7/8	4 1/4	7/8	3/8-24
G1SC-293-B			2 15/16	4 1/4	7/8	3/8-24
G1SC-300-B			3	4 1/4	7/8	3/8-24

Global Part No.

BLACK OXIDE STEEL	STAINLESS STEEL	ALUMINUM	BORE SIZE	O.D.	WIDTH	CLAMP SCREW
G2SC-012-B	G2SC-012-SS		1/8	1/2	1/4	4-40
G2SC-018-B	G2SC-018-SS		3/16	5/8	5/16	4-40
G2SC-025-B	G2SC-025-SS		1/4	11/16	5/16	4-40
G2SC-031-B	G2SC-031-SS		5/16	11/16	5/16	4-40
G2SC-037-B	G2SC-037-SS		3/8	7/8	11/32	6-32
G2SC-043-B	G2SC-043-SS		7/16	15/16	3/8	6-32
G2SC-050-B	G2SC-050-SS	G2SC-050-A	1/2	1 1/8	13/32	8-32
G2SC-056-B	G2SC-056-SS		9/16	1 1/4	7/16	10-32
G2SC-062-B	G2SC-062-SS	G2SC-062-A	5/8	1 5/16	7/16	10-32
G2SC-068-B	G2SC-068-SS		11/16	1 3/8	7/16	10-32
G2SC-075-B	G2SC-075-SS	G2SC-075-A	3/4	1 1/2	1/2	1/4-28
G2SC-081-B			13/16	1 5/8	1/2	1/4-28
G2SC-087-B	G2SC-087-SS		7/8	1 5/8	1/2	1/4-28
G2SC-093-B			15/16	1 3/4	1/2	1/4-28
G2SC-100-B	G2SC-100-SS	G2SC-100-A	1	1 3/4	1/2	1/4-28
G2SC-106-B			1 1/16	1 7/8	1/2	1/4-28
G2SC-112-B	G2SC-112-SS		1 1/8	1 7/8	1/2	1/4-28
G2SC-118-B	G2SC-118-SS		1 3/16	2 1/16	1/2	1/4-28
G2SC-125-B	G2SC-125-SS	G2SC-125-A	1 1/4	2 1/16	1/2	1/4-28
G2SC-131-B			1 5/16	2 1/8	9/16	1/4-28
G2SC-137-B	G2SC-137-SS		1 3/8	2 1/4	9/16	1/4-28
G2SC-143-B	G2SC-143-SS		1 7/16	2 1/4	9/16	1/4-28
G2SC-150-B	G2SC-150-SS	G2SC-150-A	1 1/2	2 3/8	9/16	1/4-28
G2SC-156-B			1 9/16	2 3/8	9/16	1/4-28
G2SC-162-B	G2SC-162-SS		1 5/8	2 5/8	11/16	5/16-24
G2SC-168-B			1 11/16	2 3/4	11/16	5/16-24
G2SC-175-B	G2SC-175-SS		1 3/4	2 3/4	11/16	5/16-24
G2SC-187-B	G2SC-187-SS		1 7/8	2 7/8	11/16	5/16-24
G2SC-193-B	G2SC-193-SS		1 15/16	3	11/16	5/16-24
G2SC-200-B	G2SC-200-SS	G2SC-200-A	2	3	11/16	5/16-24
G2SC-212-B			2 1/8	3 1/4	3/4	5/16-24
G2SC-218-B	G2SC-218-SS		2 3/16	3 1/4	3/4	5/16-24
G2SC-225-B	G2SC-225-SS		2 1/4	3 1/4	3/4	5/16-24
G2SC-231-B			2 5/16	3 1/2	3/4	5/16-24
G2SC-237-B	G2SC-237-SS		2 3/8	3 1/2	3/4	5/16-24
G2SC-243-B	G2SC-243-SS		2 7/16	3 1/2	3/4	5/16-24
G2SC-250-B	G2SC-250-SS		2 1/2	3 3/4	7/8	3/8-24
G2SC-262-B			2 5/8	3 7/8	7/8	3/8-24
G2SC-268-B			2 11/16	4	7/8	3/8-24
G2SC-275-B			2 3/4	4	7/8	3/8-24
G2SC-287-B	G2SC-287-SS		2 7/8	4 1/4	7/8	3/8-24
G2SC-293-B	G2SC-293-SS		2 15/16	4 1/4	7/8	3/8-24
G2SC-300-B	G2SC-300-SS		3	4 1/4	7/8	3/8-24
G2SC-318-B			3 3/16	4 1/2	7/8	3/8-24
G2SC-325-B			3 1/4	4 1/2	7/8	3/8-24
G2SC-343-B			3 7/16	4 3/4	7/8	3/8-24
G2SC-350-B			3 1/2	4 3/4	7/8	3/8-24
G2SC-393-B			3 15/16	5 1/4	7/8	3/8-24
G2SC-400-B			4	5 1/4	7/8	3/8-24
G2SC-425-B			4 1/4	5 1/2	7/8	3/8-24
G2SC-443-B			4 7/16	5 3/4	7/8	3/8-24
G2SC-450-B			4 1/2	5 3/4	7/8	3/8-24
G2SC-493-B			4 15/16	6 1/4	7/8	3/8-24
G2SC-500-B			5	6 1/4	7/8	3/8-24
G2SC-550-B			5 1/2	6 3/4	7/8	3/8-24
G2SC-593-B			5 15/16	7 1/4	7/8	3/8-24
G2SC-600-B			6	7 1/4	7/8	3/8-24

Two-Piece Clamping Collars



Two-Piece Clamping Collars

Clamping design fully engages the shaft without marring or other shaft damage

- Effective on hard and soft shafts

- Two-piece collars may be easily installed without major disassembly

- Other sizes, shapes and materials available

Bore Tolerance

Bore 1/8 to 3-1/4
Tolerance +.004 / +.001

Bore over 3-1/4
Tolerance +.0075 / +.0015

www.global-collars.com

Tel. 1-800-352-0418
Fax. 1-800-860-5553

Threaded Clamping Collars

One-Piece Threaded Clamping Collars



Global Part No.

BLACK OXIDE STEEL	STAINLESS STEEL	BORE THREAD	O.D.	WIDTH	CLAMP SCREW
GSTC-010-32-B	GSTC-010-32-SS	10-32	11/16	5/16	4-40
GSTC-025-20-B	GSTC-025-20-SS	1/4-20	11/16	5/16	4-40
GSTC-025-28-B	GSTC-025-28-SS	1/4-28	11/16	5/16	4-40
GSTC-031-18-B	GSTC-031-18-SS	5/16-18	11/16	5/16	4-40
GSTC-031-24-B	GSTC-031-24-SS	5/16-24	11/16	5/16	4-40
GSTC-037-16-B	GSTC-037-16-SS	3/8-16	7/8	3/8	6-32
GSTC-037-24-B	GSTC-037-24-SS	3/8-24	7/8	3/8	6-32
GSTC-050-13-B	GSTC-050-13-SS	1/2-13	1 1/8	13/32	8-32
GSTC-050-20-B	GSTC-050-20-SS	1/2-20	1 1/8	13/32	8-32
GSTC-062-11-B	GSTC-062-11-SS	5/8-11	1 5/16	7/16	10-32
GSTC-062-18-B	GSTC-062-18-SS	5/8-18	1 5/16	7/16	10-32
GSTC-075-10-B	GSTC-075-10-SS	3/4-10	1 1/2	1/2	1/4-28
GSTC-075-16-B	GSTC-075-16-SS	3/4-16	1 1/2	1/2	1/4-28
GSTC-087-09-B		7/8-9	1 5/8	1/2	1/4-28
GSTC-087-14-B		7/8-14	1 5/8	1/2	1/4-28
GSTC-100-08-B	GSTC-100-08-SS	1-8	1 3/4	1/2	1/4-28
GSTC-100-14-B	GSTC-100-14-SS	1-14	1 3/4	1/2	1/4-28
GSTC-112-07-B		1 1/8-7	1 7/8	1/2	1/4-28
GSTC-112-12-B	GSTC-112-12-SS	1 1/8-12	1 7/8	1/2	1/4-28
GSTC-125-07-B	GSTC-125-07-SS	1 1/4-7	2 1/16	1/2	1/4-28
GSTC-125-12-B	GSTC-125-12-SS	1 1/4-12	2 1/16	1/2	1/4-28
GSTC-150-06-B	GSTC-150-06-SS	1 1/2-6	2 3/8	9/16	1/4-28
GSTC-150-12-B	GSTC-150-12-SS	1 1/2-12	2 3/8	9/16	1/4-28
GSTC-175-16-B	GSTC-175-16-SS	1 3/4-16	2 3/4	11/16	5/16-24
GSTC-200-12-B	GSTC-200-12-SS	2-12	3	11/16	5/16-24

Metric Clamping Collars

One-Piece & Two-Piece Metric Clamping Collars



Global Part No.

BLACK OXIDE STEEL (1-PIECE)	BLACK OXIDE STEEL (2-PIECE)	BORE SIZE	O.D.	WIDTH	CLAMP SCREW
GM1C-03-B	GM2C-03-B	3	16	9	M3
GM1C-05-B	GM2C-05-B	5	16	9	M3
GM1C-06-B	GM2C-06-B	6	16	9	M3
GM1C-08-B	GM2C-08-B	8	18	9	M3
GM1C-09-B	GM2C-09-B	9	24	9	M3
GM1C-10-B	GM2C-10-B	10	24	9	M3
GM1C-12-B	GM2C-12-B	12	28	11	M4
GM1C-15-B	GM2C-15-B	15	34	13	M5
GM1C-16-B	GM2C-16-B	16	34	13	M5
GM1C-20-B	GM2C-20-B	20	40	15	M6
GM1C-25-B	GM2C-25-B	25	45	15	M6
GM1C-30-B	GM2C-30-B	30	54	15	M6
GM1C-35-B	GM2C-35-B	35	57	15	M6
GM1C-40-B	GM2C-40-B	40	60	15	M6
GM1C-45-B	GM2C-45-B	45	73	19	M8
GM1C-50-B	GM2C-50-B	50	78	19	M8
GM1C-55-B	GM2C-55-B	55	82	19	M8
GM1C-60-B	GM2C-60-B	60	88	19	M8
GM1C-65-B	GM2C-65-B	65	93	19	M8
GM1C-70-B	GM2C-70-B	70	98	19	M8
GM1C-75-B	GM2C-75-B	75	103	19	M8
GM1C-80-B	GM2C-80-B	80	108	19	M8

Metric Clamping Collars

Clamping design fully engages the shaft without marring or other shaft damage

• Effective on hard and soft shafts

Bore Tolerance

Bore/Inch +.08mm / -.00mm

Clamping Couplings & Set Screw Couplings

Global Part No.

BLACK OXIDE STEEL	BLACK OXIDE STEEL WITH KEYWAY	BORE SIZE	O.D.	WIDTH	SET SCREW SIZE
GRC-025		1/4	1/2	3/4	10-32
GRC-031		5/16	5/8	1	10-32
GRC-037		3/8	3/4	1	1/4-20
GRC-050	GRC-050-KW	1/2	1	1 1/2	1/4-20
GRC-062	GRC-062-KW	5/8	1 1/4	2	5/16-18
GRC-075	GRC-075-KW	3/4	1 1/2	2	5/16-18
GRC-087	GRC-087-KW	7/8	1 3/4	2	5/16-18
GRC-100	GRC-100-KW	1	2	3	5/16-18
GRC-112	GRC-112-KW	1 1/8	2 1/8	3	3/8-16
GRC-125	GRC-125-KW	1 1/4	2 1/4	4	3/8-16
GRC-137	GRC-137-KW	1 3/8	2 1/2	4 1/2	3/8-16
GRC-150	GRC-150-KW	1 1/2	2 1/2	4 1/2	3/8-16

Keyways

Bores	Keyway Size
3/8	3/32 X 3/64
1/2	1/8 X 1/16
5/8 to 7/8	3/16 X 3/32
1 to 1-1/4	1/4 X 1/8
1 3/8	5/16 X 5/32
1 1/2	3/8 X 3/16

Set Screw Couplings With or Without Keyway



Set Screw Couplings

Bore Tolerance

Bore 1/4 to 1/2
Tolerance +.0005 / +.0025
Bore 5/8 to 1-1/2
Tolerance +.0005 / +.0030

Global Part No.

BLACK OXIDE STEEL	BLACK OXIDE STEEL WITH KEYWAY	BORE SIZE	O.D.	WIDTH	CLAMP SCREW
GSCC-025-025		1/4 x 1/4	11/16	1 1/8	4-40
GSCC-037-025		3/8 x 1/4	7/8	1 3/8	6-32
GSCC-037-037	GSCC-037-037-KW	3/8 x 3/8	7/8	1 3/8	6-32
GSCC-050-037		1/2 x 3/8	1 1/8	1 3/4	8-32
GSCC-050-050	GSCC-050-050-KW	1/2 x 1/2	1 1/8	1 3/4	8-32
GSCC-062-050		5/8 x 1/2	1 5/16	2	10-32
GSCC-062-062	GSCC-062-062-KW	5/8 x 5/8	1 5/16	2	10-32
GSCC-075-075	GSCC-075-075-KW	3/4 x 3/4	1 1/2	2 1/4	1/4-28
GSCC-087-087	GSCC-087-087-KW	7/8 x 7/8	1 5/8	2 1/2	1/4-28
GSCC-100-050		1 x 1/2	1 3/4	3	1/4-28
GSCC-100-100	GSCC-100-100-KW	1 x 1	1 3/4	3	1/4-28
GSCC-125-125	GSCC-125-125-KW	1 1/4 x 1 1/4	2 1/16	3 1/4	1/4-28
GSCC-137-137	GSCC-137-137-KW	1 3/8 x 1 3/8	2 1/2	3 5/8	1/4-28
GSCC-150-150	GSCC-150-150-KW	1 1/2 x 1 1/2	2 5/8	3 7/8	1/4-28

One-Piece With or Without Keyway



Clamping Couplings

Keyways and two-piece designs as well as other sizes and shapes available

Bore Tolerance

Bore/Inch +.003 / -.000

Global Part No.

BLACK OXIDE STEEL	BLACK OXIDE STEEL WITH KEYWAY	BORE SIZE	O.D.	WIDTH	CLAMP SCREW
G2SCC-025-025		1/4 x 1/4	11/16	1 1/8	4-40
G2SCC-037-037	G2SCC-037-037KW	3/8 x 3/8	7/8	1 3/8	6-32
G2SCC-050-050	G2SCC-050-050KW	1/2 x 1/2	1 1/8	1 3/4	8-32
G2SCC-062-062	G2SCC-062-062KW	5/8 x 5/8	1 5/16	2	10-32
G2SCC-075-075	G2SCC-075-075KW	3/4 x 3/4	1 1/2	2 1/4	1/4-28
G2SCC-087-087	G2SCC-087-087KW	7/8 x 7/8	1 5/8	2 1/2	1/4-28
G2SCC-100-100	G2SCC-100-100KW	1 x 1	1 3/4	3	1/4-28
G2SCC-125-125	G2SCC-125-125KW	1 1/4 x 1 1/4	2 1/16	3 1/4	1/4-28
G2SCC-137-137	G2SCC-137-137KW	1 3/8 x 1 3/8	2 1/2	3 5/8	5/16-24
G2SCC-150-150	G2SCC-150-150KW	1 1/2 x 1 1/2	2 5/8	3 7/8	5/16-24

Two-Piece With or Without Keyway



Set Screw Collars

Clamping Collars

Set Screw Couplings

Clamping Couplings



Global Industrial Products

30198 Lakeland Blvd

Wickliffe, Ohio 44092

Tel. 1-800-352-0418

Fax. 1-800-860-5553

www.global-collars.com

Distributed By: